

INDEX TO VOLUME 72

AUTHORS

- Ames, Jack A.: see Wendell, Hardy, Ames, and Burge, 197-212
- Asson-Batres, Mary Ann: The Feeding Behavior of the Juvenile Dungeness Crab, *Cancer magister* Dana, on the Bivalve, *Transennella tantilla* (Gould), and a Determination of Its Daily Consumption Rate, 144-152
- Barnhart, Roger A.: see Rabin and Barnhart, 4-16
- Barrett, Reginald H.: see Gogan, Thompson, Pierce, and Barrett, 47-61
- Bartonek, James C.: see Gilmer, Hicks, Bartonek, and McCollum, 132-143
- Becker, Dennis: see Botti, Warenycia, and Becker, 62-63
- Blahm, Theodore H.: see Emmett, Miller, and Blahm, 38-46
- Botti, Fred, Dee Warenycia, and Dennis Becker: Utilization by Salt Marsh Harvest Mice, *Reithrodontomys raviventris halicoetes*, of a Non-pickleweed Marsh, 62-63
- Bowyer, R. Terry: Habitat Selection by Southern Mule Deer, 153-169
- Burge, Richard T.: see Wendell, Hardy, Ames, and Burge, 197-212
- Compagno, Leonard J.V.: see Seigel and Compagno, 172-176
- Crabtree, C. Ben: see Matson, Crabtree, and Haglund, 227-231
- Cross, Jeffrey N.: Epidermal Tumors in *Microstomus pacificus* (Pleuronectidae) Collected Near a Municipal Wastewater Outfall in the Coastal Waters off Los Angeles (1971-1983), 68-77
- Dinnel, Paul A., and Christopher W. Rogers: Northern Range Extension for California Tonguefish, *Symphurus atricauda*, to Washington State, 119-121
- Ebert, David A.: Observations on the Elasmobranch Assemblage of San Francisco Bay, 244-249
- Emmett, Robert L., David R. Miller, and Theodore H. Blahm: Food of Juvenile Chinook, *Oncorhynchus tshawytscha*, and Coho, *O. kisutch*, Salmon off the Northern Oregon and Southern Washington Coasts, May-September 1980, 38-46
- Gilmer, David S., Jane M. Hicks, James C. Bartonek, and Earl H. McCollum: Waterfowl Harvest at Tule Lake National Wildlife Refuge, 1936-41, 132-143
- Gogan, Peter J.P., Steven C. Thompson, William Pierce, and Reginald H. Barrett: Line-Transect Censuses of Fallow and Black-tailed Deer on the Point Reyes Peninsula, 47-61
- Graham, T.W.: see Lavoipierre, Graham, Walters, and Howarth, 78-82
- Gutoff, D.I.: see Phillips, Gutoff, Hansen, and Hardwick, 232-243
- Haglund, Thomas R.: see Matson, Crabtree, and Haglund, 227-231
- Hansen, J.E.: see Phillips, Gutoff, Hansen, and Hardwick, 232-243
- Hardwick, J.E.: see Phillips, Gutoff, Hansen, and Hardwick, 232-243
- Hardy, Robert A.: see Wendell, Hardy, Ames, and Burges, 197-212
- Herder, Michael: see Stein, Herder, and Miller, 179-181
- Hicks, Jane M.: see Gilmer, Hicks, Bartonek, and McCollum, 132-143
- Howarth, J.A.: see Lavoipierre, Graham, Walters, and Howarth, 78-82
- Juarez, Stephen M.: see O'Farrell, Juarez, and Uptain, 187-189
- Langenwalter, Paul E. II: Indigenous Muskrats, *Ondatra zibethicus*, in Coastal Southern California, 121-122
- Lavoipierre, M.M.J., T.W. Graham, L.L. Walters, and J.A. Howarth: The Occurrence of Two Nematodes, *Spirocerca lupi* and *Diofilaria immitis*, in Wild Canids of the Lake Berryessa Area, Northern California, 78-82
- Lea, Robert N., and Lawrence F. Quirollo: First Record of *Hemitripterus bolini*, the Bigmouth Sculpin, from Californian Waters, 117-119
- Littrell, E.E.: Mortality of American Wigeon on a Golf Course Treated with the Organophosphate, Diazinon, 122-124
- Littrell, E.E.: Shell Thickness and Organochlorine Pesticides in Osprey Eggs from Eagle Lake, California, 182-185
- Matson, Ronald H., C. Ben Crabtree, and Thomas R. Haglund: Ichthyofaunal Composition and Recolonization in a Central California Tidepool, 227-231
- Matthews, Kathleen R.: Movement of Two Nearshore, Territorial Rockfishes Previously Reported as Non-Movers and Implications to Management, 103-109
- McCollum, Earl H.: see Gilmer, Hicks, Bartonek, and McCollum, 132-143
- Miller, David R.: see Emmett, Miller, and Blahm, 38-46
- Miller, Kathy: see Stein, Herder, and Miller, 179-181

INDEX TO VOLUME 72

AUTHORS

- Ames, Jack A.: see Wendell, Hardy, Ames, and Burge, 197-212
- Asson-Batres, Mary Ann: The Feeding Behavior of the Juvenile Dungeness Crab, *Cancer magister* Dana, on the Bivalve, *Transennella tantilla* (Gould), and a Determination of Its Daily Consumption Rate, 144-152
- Barnhart, Roger A.: see Rabin and Barnhart, 4-16
- Barrett, Reginald H.: see Gogan, Thompson, Pierce, and Barrett, 47-61
- Bartonek, James C.: see Gilmer, Hicks, Bartonek, and McCollum, 132-143
- Becker, Dennis: see Botti, Warenycia, and Becker, 62-63
- Blahm, Theodore H.: see Emmett, Miller, and Blahm, 38-46
- Botti, Fred, Dee Warenycia, and Dennis Becker: Utilization by Salt Marsh Harvest Mice, *Reithrodontomys raviventris halicoetes*, of a Non-pickleweed Marsh, 62-63
- Bowyer, R. Terry: Habitat Selection by Southern Mule Deer, 153-169
- Burge, Richard T.: see Wendell, Hardy, Ames, and Burge, 197-212
- Compagno, Leonard J.V.: see Seigel and Compagno, 172-176
- Crabtree, C. Ben: see Matson, Crabtree, and Haglund, 227-231
- Cross, Jeffrey N.: Epidermal Tumors in *Microstomus pacificus* (Pleuronectidae) Collected Near a Municipal Wastewater Outfall in the Coastal Waters off Los Angeles (1971-1983), 68-77
- Dinnel, Paul A., and Christopher W. Rogers: Northern Range Extension for California Tonguefish, *Symphurus atricauda*, to Washington State, 119-121
- Ebert, David A.: Observations on the Elasmobranch Assemblage of San Francisco Bay, 244-249
- Emmett, Robert L., David R. Miller, and Theodore H. Blahm: Food of Juvenile Chinook, *Oncorhynchus tshawytscha*, and Coho, *O. kisutch*, Salmon off the Northern Oregon and Southern Washington Coasts, May-September 1980, 38-46
- Gilmer, David S., Jane M. Hicks, James C. Bartonek, and Earl H. McCollum: Waterfowl Harvest at Tule Lake National Wildlife Refuge, 1936-41, 132-143
- Gogan, Peter J.P., Steven C. Thompson, William Pierce, and Reginald H. Barrett: Line-Transect Censuses of Fallow and Black-tailed Deer on the Point Reyes Peninsula, 47-61
- Graham, T.W.: see Lavoipierre, Graham, Walters, and Howarth, 78-82
- Gutoff, D.I.: see Phillips, Gutoff, Hansen, and Hardwick, 232-243
- Haglund, Thomas R.: see Matson, Crabtree, and Haglund, 227-231
- Hansen, J.E.: see Phillips, Gutoff, Hansen, and Hardwick, 232-243
- Hardwick, J.E.: see Phillips, Gutoff, Hansen, and Hardwick, 232-243
- Hardy, Robert A.: see Wendell, Hardy, Ames, and Burges, 197-212
- Herder, Michael: see Stein, Herder, and Miller, 179-181
- Hicks, Jane M.: see Gilmer, Hicks, Bartonek, and McCollum, 132-143
- Howarth, J.A.: see Lavoipierre, Graham, Walters, and Howarth, 78-82
- Juarez, Stephen M.: see O'Farrell, Juarez, and Uptain, 187-189
- Langenwalter, Paul E. II: Indigenous Muskrats, *Ondatra zibethicus*, in Coastal Southern California, 121-122
- Lavoipierre, M.M.J., T.W. Graham, L.L. Walters, and J.A. Howarth: The Occurrence of Two Nematodes, *Spirocerca lupi* and *Diofilaria immitis*, in Wild Canids of the Lake Berryessa Area, Northern California, 78-82
- Lea, Robert N., and Lawrence F. Quirolo: First Record of *Hemitripterus bolini*, the Bigmouth Sculpin, from Californian Waters, 117-119
- Littrell, E.E.: Mortality of American Wigeon on a Golf Course Treated with the Organophosphate, Diazinon, 122-124
- Littrell, E.E.: Shell Thickness and Organochlorine Pesticides in Osprey Eggs from Eagle Lake, California, 182-185
- Matson, Ronald H., C. Ben Crabtree, and Thomas R. Haglund: Ichthyofaunal Composition and Recolonization in a Central California Tidepool, 227-231
- Matthews, Kathleen R.: Movement of Two Nearshore, Territorial Rockfishes Previously Reported as Non-Movers and Implications to Management, 103-109
- McCollum, Earl H.: see Gilmer, Hicks, Bartonek, and McCollum, 132-143
- Miller, David R.: see Emmett, Miller, and Blahm, 38-46
- Miller, Kathy: see Stein, Herder, and Miller, 179-181

- O'Farrell, Michael J., Stephen M. Juarez, and Curt E. Uptain: An Addition to the Known Range of Stephens' Kangaroo Rat, *Dipodomys stephensi*, in San Diego County, California, 187-189
- Phillips, R.E., D.I. Gutoff, J.E. Hansen, and J.E. Hardwick: Distribution of Major Marine Macrophytes, Seasonal Estimates of *Gracilaria* Standing Crop, and Spawning Activities of the Pacific Herring, *Clupea harengus pallasii*, in Elkhorn Slough, California; 1979-1982, 232-243
- Pierce, William: see Gogan, Thompson, Pierce, and Barrett, 47-61
- Rabin, Douglas J., and Roger A. Barnhart: Population Characteristics of Pacific Herring, *Clupea harengus pallasii*, in Humboldt Bay, California, 4-16
- Raquel, Paul F.: Juvenile Blue Catfish in the Sacramento-San Joaquin Delta of California, 186-187
- Rogers, Christopher W.: see Dinnel and Rogers, 119-121
- Roletto, Jan, and Robert Van Syoc: The Occurrence of *Lepas anatifera* on *Zalophus californianus* and *Mirounga angustirostris*, 124-126
- Seigel, Jeffrey A. and Leonard J.V. Compagno: New Records of the Ragged-tooth Shark, *Odontaspis ferox*, from California Waters, 172-176
- Sikkel, Paul C.: Intraspecific Cleaning by Juvenile Salema *Xenestius californiensis* (Pisces: Haemulidae), 170-172
- Stein, Janet L., Michael Herder, and Kathy Miller: Birth of a Northern Fur Seal on the Mainland California Coast, 179-181
- Snada, John S.: Growth and Reproduction of Spot Prawns in the Santa Barbara Channel, 83-93
- Swift, Camm C.: First Record of the Spotted Scorpionfish, *Scorpaena plumieri*, from California: The Curtain Falls on "A Comedy of Errors," 176-178
- Thompson, Steven C.: see Gogan, Thompson, Pierce, and Barrett, 47-61
- Uptain, Curt E.: see O'Farrell, Juarez, and Uptain, 187-189
- Walters, L.L.: see Lavoipierre, Graham, Walters, and Howarth, 78-82
- Warencya, Dee: see Botti, Warencya, and Becker, 62-63
- Welker, Heather J.: Fawn Mortality in the Lake Hollow Deer Herd, Tehama County, California, 99-102
- Welker, Heather J.: Fawn Rearing Habitat of the Lake Hollow Deer Herd, Tehama County, California, 94-98
- Wells, Alan W.: Aspects of Ecology and Life History of the Woolly Sculpin, *Clinocottus analis*, from Southern California, 213-226
- Wendell, Frederick E., Robert A. Hardy, Jack A. Ames, and Richard T. Burge: Temporal and Spatial Patterns in Sea Otter, *Enhydra lutris*, Range Expansion and in the Loss of Pismo Clam Fisheries, 197-212
- White, James R.: The Striped Bass Sport Fishery in the Sacramento-San Joaquin Estuary, 1969-1979, 17-37
- Winter, Brian D.: A Method for the Efficient Removal of Juvenile Salmonid Otoliths, 63-64
- Zielinski, William J.: Relating Marten Scat Contents to Prey Consumed, 110-116

SUBJECT

- Bass, striped: Sport fishery in the Sacramento-San Joaquin estuary, 1969-1979, 17-37
- Behavior, feeding: Of the juvenile Dungeness crab, *Cancer magister* Dana, on the bivalve *Transennella tantilla* (Gould), and a determination of its daily consumption rate, 144-152
- Catfish, blue: Juvenile, in the Sacramento-San Joaquin Delta of California, 186-187
- Clam, Pismo: Temporal and spatial patterns in sea otter range expansion and in the loss of, fisheries, 197-212
- Cleaning: Intraspecific, by juvenile salema, 170-172
- Censuses, line-transect: Of fallow and black-tailed deer on the Point Reyes Peninsula, 47-61
- Crab, Dungeness: The feeding behavior of the juvenile, on the bivalve, *Transennella tantilla* (Gould), and a determination of its daily consumption rate, 144-152
- Deer, black-tailed: Line-transect censuses of fallow and, on the Point Reyes Peninsula, 47-61
- Deer, fallow: Line-transect censuses of, and black-tailed deer on the Point Reyes Peninsula, 47-61
- Deer: Fawn mortality in the Lake Hollow, herd, Tehama County, California, 99-102
- Deer: Fawn rearing habitat of the Lake Hollow, herd, Tehama County, California, 94-98
- Deer, southern mule: Habitat selection by, 153-169
- Elasmobranch: Observations on the, assemblage of San Francisco Bay, 244-249
- Growth: And reproduction of spot prawns in the Santa Barbara Channel, 83-93
- Habitat: Selection by southern mule deer, 153-169
- Habitat: Fawn rearing, of the lake hollow deer herd, Tehama County, California, 94-98
- Herring, pacific: Distribution of major marine macrophytes, seasonal estimates of *Gracilaria* standing crop, and spawning activities of the, in Elkhorn Slough, California, 1979-1982, 232-243

- Herring, Pacific: Population characteristics of, in Humboldt Bay, California, 4-16
- Lepas anatifera*: The occurrence of, on *Zalophus californianus* and *Mirounga angustirostris*, 124-126
- Life history: Aspects of ecology and, of the woolly sculpin, *Clinocottus analis*, from southern California, 213-226
- Macrophytes, marine: Distribution of major, seasonal estimates of *Gracilaria* standing crop, and spawning activities of the Pacific herring, in Elkhorn Slough, California, 1979-1982, 232-243
- Marten: Relating, scat contents to prey consumed, 110-116
- Mice, salt marsh harvest: Utilization by, of a non-pickleweed marsh, 62-63
- Muskunks: Indigenous in coastal southern California, 121-122
- Nematodes: The occurrence of two, in wild canids of the Lake Berryessa area, northern California, 78-82
- Organophosphate, Diazinon: Mortality of American wigeon on a golf course treated with, 122-124
- Osprey, eggs: Shell thickness and organochlorine pesticides in, from Eagle Lake, California, 182-185
- Otoliths, salmonid: A method for the efficient removal of juvenile, 63-64
- Otter, sea: Temporal and spatial patterns in, range expansion and in the loss of Pismo clam fisheries, 197-212
- Pesticides, organochlorine: Shell thickness and, in osprey eggs from Eagle Lake, California, 182-185
- Population characteristics: Of Pacific herring, in Humboldt Bay, California, 4-16
- Prawns, spot: Growth and reproduction of, in the Santa Barbara Channel, 83-93
- Rat, Stephens' kangaroo: An addition to the known range of, in San Diego County, California, 187-189
- Recolonization: Ichthyofaunal composition and, in a central California tidepool, 227-231
- Reproduction: Growth and, of spot prawns in the Santa Barbara Channel, 83-93
- Rockfishes: Movement of two nearshore, territorial, previously reported as non-movers and implications to management, 103-109
- Salema: Intraspecific cleaning by juvenile, 170-172
- Salmon, chinook: Food of juvenile, off the northern Oregon and southern Washington coasts, May-September 1980, 38-46
- Salmon, coho: Food of juvenile, off the northern Oregon and southern Washington coasts, May-September 1980, 38-46
- Scat: Relating marten, contents to prey consumed, 110-116
- Scorpionfish, spotted: First record of the, from California: The curtain falls on "A Comedy of Errors.", 176-178
- Sculpin, bigmouth: First record of, *Hemitripterus bolini*, from Californian waters, 117-119
- Sculpin, woolly: Aspects of ecology and life history of the, from southern California, 213-226
- Seal, northern fur: Birth of, on the mainland California coast, 179-181
- Shark, ragged-tooth: New records of the, from California waters, 172-176
- Shell thickness: And organochlorine pesticides in osprey eggs from Eagle Lake, California, 182-185
- Tonguefish, California: Northern range extension for, to Washington state, 119-121
- Tumors, epidermal: In *Microstomus pacificus* (Pleuronectidae) collected near a municipal wastewater outfall in the coastal waters off Los Angeles (1971-1983), 68-77
- Waterfowl: Harvest at the Tule Lake National Wildlife Refuge, 1936-41, 132-143
- Wigeon, American: Mortality of, on a golf course treated with the organophosphate, Diazinon, 122-124

SCIENTIFIC NAMES

- Acanthogobius flavimanus*: 17
Acmaea spp.: 221
Agarum: 233
Aix sponsa: 133
Ammodytes hexapterus: 41, 42, 43
Anas acuta: 134
Anas americana: 122-124
Anas clypeata: 134
Anas platyrhynchos: 123, 134
Anatanais normani: 220
Anoplarchus purpurascens: 229
Anser albifrons: 134
Anthopleura xanthogrammica: 214
Aquila chrysaetos: 47
Arctedius lateralis: 215, 228, 229
Ascarophis sp.: 225
Atherinops affinis: 171, 228, 229
Atylus tridens: 41, 42, 43
Aves: 111, 113, 114
Axis axis: 48
Aythya americana: 133
Aythya collaris: 140
Aythya spp.: 134
Aythya valisineria: 133
Bos taurus: 47
Branta canadensis: 123
Branta canadensis hutchinsii: 134
Branta canadensis minima: 134
Branta canadensis spp.: 134
Bucephala albeola: 133
Bucephala spp.: 134
Callorhinus ursinus: 179
Cancer antennarius: 197
Cancer magister: 41, 42, 43, 119, 144-152, 197
Cancer oregonensis: 41, 42, 43
Cancer productus: 197
Canis latrans: 47, 78, 100, 155
Canis lupus: 110
Capra spp.: 47
Carcinus maenas: 150
Cebidichthys violaceus: 229, 230
Cerastoderma edule: 150
Cervus elaphus: 47
Chen rossii: 133
Cirolana harfordi: 220
Cirripedia: 42, 43
Clinocardium nuttali: 145, 146, 148, 149, 150
Clinocottus analis: 213-226, 229
Clinocottus recalcus: 215
Clupea harengus pallasi: 4-16, 41, 42, 43, 232-243
Crangon sp.: 17
Cryptomya sp.: 149
Dama dama: 48
Dipodomys stephensi: 187-189
Dirofilaria immitis: 78-82
Dorosoma petenense: 17
Embiotoca jacksoni: 215
Engraulis mordax: 17, 41, 42, 43
Enhydra lutris: 197-212
Enteromorpha: 236, 238
Equus caballus: 47
Eutamias spp.: 111, 113, 114, 115
Felis concolor: 47, 100
Fucus: 233
Fulica americana: 123
Galeorhinus zyopterus: 245
Gibbonsia elegans: 214
Gibbonsia metzi: 214, 229
Gibbonsia montereyensis: 229, 230
Girella nigricans: 171, 214, 229, 230
Glaucomys sabrinus: 111, 112
Gobiosox maeandricus: 229, 230
Gobiosox rhessodon: 215
Gracilaria: 232-243
Haliaeetus leucocephalus: 47
Hemitripteris bolini: 117-119
Hemitripteris marmoratus: 117
Hemitripteris marmoratus: 117
Hermosilla azurea: 171, 215
Heterostichus rostratus: 170
Hippoglossoides elassodon: 74
Hyperoche medusarum: 42, 43
Hypsoblennius gilberti: 214
Hypsoblennius jenkinsi: 215
Ictalurus furcatus: 186
Laminaria: 233
Laminaria saccharina: 233
Laminaria sinclairii: 233
Lepas anatifera: 124-126
Leptocottus armatus: 17
Lepus californicus: 114
Limacina sp.: 41, 42, 43
Littorina planaxis: 214
Lynx rufus: 155
Macoma sp.: 149
Macrocytis integrifolia: 233
Macrocytis pyrifera: 202
Martes americana: 110-116
Martes pennanti: 116
Micrometrus aurora: 228, 229
Micrometrus minimus: 215
Microstomus pacificus: 68-77, 117
Microtus spp.: 111, 113, 114, 115
Miroounga augustirostris: 124-126
Morone saxatilis: 17-37
Mustela nivalis: 115
Mustela putorius furo: 110
Mustelus henlei: 245
Myliobatis californica: 246
Mytilus californianus: 214
Mytilus edulis: 236
Nautilus pompilius: 124
Neomysis kadiakensis: 42, 43
Neptunea pribilofensis: 118
Notorynchus maculatus: 244, 246
Odocoileus hemionus: 47-61, 94, 99
Odocoileus hemionus californicus: 167
Odocoileus hemionus columbianus: 94-98, 99-102, 167
Odocoileus hemionus fuliginatus: 153
Odocoileus hemionus hemionus: 167
Odontaspis ferox: 172-176
Odontaspis herbsti: 173
Oligocottus rimensis: 229
Oligocottus rubellus: 215
Oligocottus snyderi: 215, 229
Oncorhynchus kisutch: 38-46
Oncorhynchus spp.: 38
Oncorhynchus tshawytscha: 38-46
Ondatra zibethicus: 121-122

- Ondatra zibethicus bernardi*: 121
Ondatra zibethicus mergens: 121
Opecoelus adspheericus: 225
Osmeridae: 41, 42, 43
Ovis aries: 47
Oxyjulus californica: 170, 171
Oxyura jamaicensis: 133
Pachygrapsus crassipes: 214, 221
Pagurus samuelis: 221
Pagurus spp.: 41, 42, 43
Pandalus borealis: 89
Pandalus jordani: 42, 89
Pandalus platyceros: 83-93
Pandion haliaetus: 182
Paraclunio sp.: 220
Paralabrax clathratus: 171, 225
Paralichthys californicus: 34
Parathemisto pacifica: 42, 43
Parophrys vetulus: 74
Peromyscus: 114
Peromyscus maniculatus: 111, 112, 113
Petalonia: 224
Phragmatopoma californica: 220, 223
Pinnixa spp.: 43
Platichthys stellatus: 74
Pleuronectidae: 42
Pollicipes polymerus: 214
Polysiphonia: 236
Porcellanidae: 41, 42, 43
Raja binoculata: 246
Reithrodontomys raviventris halicoetes: 62-63
Reithrodontomys raviventris raviventris: 62
Rhacochilus vacca: 215
Sagitta sp.: 42
Salicornia pacifica: 62
Salmo gairdneri: 63
Sardinops sp.: 17
Scapanus: 114
Scapanus latimanus: 115
Scorpaena: 176
Scorpaena guttata: 176, 177
Scorpaena histrio: 176
Scorpaena mystes: 176
Scorpaena plumieri: 176-178
Scorpaenichthys marmoratus: 215
Sebastes: 103, 118
Sebastes carnatus: 103-109
Sebastes chrysomelas: 103-109
Sebastes sp.: 34
Sebastes spp.: 41, 42, 43, 173, 215
Seriola lalandi: 171
Sorex spp.: 113, 114
Spermophilus lateralis: 111, 113, 114
Spirinchus thaleichthys: 42
Spirocerca lupi: 78-82
Spirontocaris picta: 223
Squalus acanthias: 246
Sus scrofa: 47
Symphurus atricauda: 119-121
Tamiasciurus: 114, 115
Tamiasciurus douglasii: 111, 113
Tegula funebris: 214
Thomomys: 114
Thomomys monticola: 113, 115
Thyssanoessa spinifera: 41, 42, 43
Tivela stultorum: 198
Transennella tantilla: 144-152
Triakis semifasciata: 245
Ulca bolini: 117
Ulca marmorata: 117
Ulva: 233
Urocyon cinereoargenteus: 78
Ursus americana: 100
Ursus arctos: 47
Vibilia cultripes: 42
Vulpes vulpes: 47, 110
Xenistius californiensis: 170-172
Xerperes focus: 229, 230
Xiphister atropurpureus: 229
Xiphister mucosus: 228, 229, 230
Zalophus californianus: 124-126
Zostera marina: 5, 235, 236, 237

